

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

F1_M3_Females

Date Report Requested: 04/26/2006

Time Report Regsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

C Number: C62260B

Lock Date: 01/21/2005

Cage Range: ALL

Date Range: ALL

Reasons For Removal: 25021 TSAC 25020 NATD 25019 MSAC

Removal Date Range: ALL

Treatment Groups: Include ALL

Note: Animals arranged according to days on test.

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

DAY ON TEST	0	5	5	5	5	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	2	6	7	8	9	3	4	6	8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	0	1	0	2	0	1	5	4	2	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	9	9	
B6C3F1 MICE FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0 PPM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	1	0	1	2	1	2	3	4	0	0	0	0	1	2	2	2	3	3	4	4	4	4	5	1	2	
	9	3	7	4	4	8	8	0	0	2	6	8	9	2	0	6	9	5	7	3	5	6	0	1	3		

females
(cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Leiomyosarcoma, Metastatic, Intestine Small, Jejunum	X																										
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Large, Colon	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Large, Rectum	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Small, Jejunum Leiomyosarcoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Hepatocellular Adenoma																										X	
Hepatocellular Carcinoma, Multiple																											
Leiomyosarcoma, Metastatic, Intestine	X																										

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

DAY ON TEST	0	5	5	5	5	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	2	6	7	8	9	3	4	6	8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	0	1	0	2	0	1	5	4	2	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	9	9	
B6C3F1 MICE FEMALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0 PPM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4	1	0	1	2	1	2	3	4	0	0	0	0	1	2	2	2	3	3	4	4	4	4	5	1	2	
	9	3	7	4	4	8	8	0	0	2	6	8	9	2	0	6	9	5	7	3	5	6	0	1	3		

females
(cont...)

Small, Jejunum

Mesentery

+ +

Leiomyosarcoma, Metastatic, Intestine
Small, Jejunum

X

Pancreas

+ +

Leiomyosarcoma, Metastatic, Intestine
Small, Jejunum

X

Salivary Glands

+ +

Stomach, Forestomach

+ + + + + + A +

Stomach, Glandular

+ +

Leiomyosarcoma, Metastatic, Intestine
Small, Jejunum

X

Tooth

+ +

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 0 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2 | 6 | 7 | 8 | 9 | 3 | 4 | 6 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 1 | 0 | 2 | 0 | 1 | 5 | 4 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 1 | 0 | 1 | 2 | 1 | 2 | 3 | 4 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 1 | 2 | |
| | 9 | 3 | 7 | 4 | 4 | 8 | 8 | 0 | 0 | 2 | 6 | 8 | 9 | 2 | 0 | 6 | 9 | 5 | 7 | 3 | 5 | 6 | 0 | 1 | 3 | | |

females
(cont...)

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Islets, Pancreatic Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | M | M | + | M | + | + | M | M | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Thyroid Gland | + | M | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 0 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2 | 6 | 7 | 8 | 9 | 3 | 4 | 6 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 1 | 0 | 2 | 0 | 1 | 5 | 4 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 1 | 0 | 1 | 2 | 1 | 2 | 3 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 1 | 2 | |
| | 9 | 3 | 7 | 4 | 4 | 8 | 8 | 0 | 0 | 2 | 6 | 8 | 9 | 2 | 0 | 6 | 9 | 5 | 7 | 3 | 5 | 6 | 0 | 1 | 3 | | |

**females
(cont...)**

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Leiomyoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Leiomyosarcoma, Metastatic, Intestine Small, Jejunum | | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Spleen | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Leiomyosarcoma, Metastatic, Intestine Small, Jejunum | | | | | | | | X | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSFD FFFF

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOI S

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Registered: 04/26/2006

Time Report Received: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

SYSTEMIC LESIONS

Multiple Organ

Histiocytic Sarcoma

X X

Lymphoma Malignant

* .. Total animals with tissue examined microscopically; Total animals with tumor

† = Tissue examined microscopically

x Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

A - Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| B6C3F1 MICE FEMALE
0 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-----------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 0 | 1 | 1 | 1 | 2 | 4 | 4 | |
| | | 5 | 2 | 4 | 6 | 8 | 4 | 7 | 3 | 4 | 5 | 5 | 6 | 2 | 7 | 1 | 3 | 9 | 2 | 1 | 0 | 7 | 9 | 1 | 1 | 8 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Leiomyosarcoma, Metastatic, Intestine
Small, Jejunum | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Jejunum
Leiomyosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 4 | |
| Hepatocellular Adenoma | | | | | | | | X | | | | | | | | X | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Leiomyosarcoma, Metastatic, Intestine | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 0 | 1 | 1 | 1 | 2 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 5 | 2 | 4 | 6 | 8 | 4 | 7 | 3 | 4 | 5 | 5 | 6 | 2 | 7 | 1 | 3 | 9 | 2 | 1 | 0 | 7 | 9 | 1 | 1 | 1 | 8 | * | TOTALS | |

Small, Jejunum

Mesentery

+

+

6

Leiomyosarcoma, Metastatic, Intestine
Small, Jejunum

1

Pancreas

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

50

Salivary Glands

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

50

Stomach, Forestomach

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

49

Stomach, Glandular

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

50

Leiomyosarcoma, Metastatic, Intestine
Small, Jejunum

1

Tooth

2

CARDIOVASCULAR SYSTEM

Blood Vessel

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

50

Heart

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

50

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Requested: 04/26/2006

Time Report Requested: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

ENDOCRINE SYSTEM

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 0 | 1 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| | 5 | 2 | 4 | 6 | 8 | 4 | 7 | 3 | 4 | 5 | 5 | 6 | 2 | 7 | 1 | 3 | 9 | 2 | 1 | 0 | 7 | 9 | 1 | 1 | 1 | 8 | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Leiomyoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Leiomyosarcoma, Metastatic, Intestine
Small, Jejunum | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Leiomyosarcoma, Metastatic, Intestine
Small, Jejunum | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOI S

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Registered: 04/26/2006

Time Report Requested: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

INTEGUMENTARY SYSTEM

MUSCULOSKELETAL SYSTEM

NERVOUS SYSTEM

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x Lesion present

x .. Lesion present
| Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqstd: 04/26/2006

Time Report Reqstd: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|
| | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 0 | 1 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| | 5 | 2 | 4 | 6 | 8 | 4 | 7 | 3 | 4 | 5 | 5 | 6 | 2 | 7 | 1 | 3 | 9 | 2 | 1 | 0 | 7 | 9 | 1 | 1 | 1 | 8 | * TOTALS |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | X | X | X | | X | | | 7 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 7 | 3 | 5 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 5 | 2 | 8 | 5 | 9 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 8 | 5 | 7 | 8 | 8 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 9 | 9 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | | | | |
| | 0 | 5 | 6 | 9 | 6 | 0 | 9 | 4 | 7 | 1 | 5 | 6 | 8 | 9 | 3 | 4 | 1 | 9 | 2 | 4 | 1 | 2 | 5 | 7 | 8 | | | | |

females
(cont...)

ALIMENTARY SYSTEM

Esophagus

+ +

X

Periesophageal Tissue, Sarcoma,
Metastatic, Salivary Glands

Gallbladder

+ +

Intestine Large, Cecum

+ +

Intestine Large, Colon

+ +

Intestine Large, Rectum

+ +

Intestine Small, Duodenum

+ +

Intestine Small, Ileum

+ +

Intestine Small, Jejunum

+ +

Carcinoma

X

Hemangioma

Liver

+ +

X

Hepatocellular Adenoma

X

Hepatocellular Adenoma, Multiple

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqstd: 04/26/2006

Time Report Reqstd: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|
| | DAY ON TEST | 5
6
1 | 5
7
5 | 6
3
2 | 6
5
9 | 7
1
9 | 7
2
8 | 7
2
9 | 7
2
9 | 7
2
9 | 7
2
9 | 7
2
9 | 7
2
9 | |
| | | 0
0
0 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 1000 PPM | 0
6
0 | 5
8
0 | 7
5
0 | 8
8
0 | 8
5
0 | 5
5
0 | 5
6
0 | 5
6
0 | 6
6
0 | 6
6
0 | 6
6
0 | 6
7
0 | 7
7
0 | 9
9
0 | 9
9
0 | 5
6
0 | 6
7
0 | 7
7
0 | 7
7
0 | 7
7
0 | 7
7
0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

Hepatocellular Carcinoma X

Mesentery + +

Carcinoma, Metastatic, Uncertain Primary Site X

Oral Mucosa +

Pancreas +

Salivary Glands +

Sarcoma X

Stomach, Forestomach + + + + + A + + + + + + + + + + + + + + + + + + +

Squamous Cell Papilloma

Stomach, Glandular +

CARDIOVASCULAR SYSTEM

Blood Vessel +

Heart +

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-------------|
| | DAY ON TEST | 5
6
1 | 5
7
5 | 6
3
2 | 6
5
9 | 6
1
9 | 7
2
2 | 7
2
8 | 7
2
9 | 7
2
9 | 7
2
9 | 7
2
9 | 7
2
9 | 7
2
9 |
| B6C3F1 MICE FEMALE | | 0
0
0 | 0
0
0 |
| 1000 PPM | ANIMAL ID | 6
8
5
6 | 7
8
8
9 | 8
5
5
6 | 5
5
5
6 | 5
6
6
6 | 6
6
6
6 | 6
6
6
6 | 6
6
6
6 | 7
7
7
7 | 9
9
9
9 | 9
9
9
9 | 5
5
5
5 | 6
6
6
6 | 7
7
7
7 | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | X |
| Pars Distalis, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | A | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | X |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Reqstd: 04/26/2006

CRESOLS

Time Report Reqstd: 08:23:49

CAS Number: 1319-77-3

First Dose M/F: NA / 08/20/02

Pathologist: BOYCE, J. - TOFT, J.

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 6 | 7 | 3 | 5 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 5 | 2 | 8 | 5 | 9 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 8 | 5 | 7 | 8 | 8 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 9 | 9 | 5 | 6 | 7 | 7 | 7 | 8 |
| | | 0 | 5 | 6 | 9 | 6 | 0 | 9 | 4 | 7 | 1 | 5 | 6 | 8 | 9 | 3 | 4 | 1 | 9 | 2 | 4 | 1 | 2 | 5 | 7 |

females
(cont...)

Granulosa Cell Tumor Benign

Oviduct

+

Uterus

+ +

Leiomyosarcoma

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node

+ +

Mediastinal, Fibrosarcoma, Metastatic,
Skin

X

Lymph Node, Mandibular

+ +

Lymph Node, Mesenteric

+ +

Spleen

+ +

Hemangiosarcoma

X

Thymus

+ + + + M +

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 7 | 3 | 5 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 5 | 2 | 8 | 5 | 9 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 8 | 5 | 7 | 8 | 8 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 9 | 9 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | |
| | 0 | 5 | 6 | 9 | 6 | 0 | 9 | 4 | 7 | 1 | 5 | 6 | 8 | 9 | 3 | 4 | 1 | 9 | 2 | 4 | 1 | 2 | 5 | 7 | 8 | | |

females
(cont...)

Mammary Gland

+ +

Skin

+ +

Subcutaneous Tissue, Fibrosarcoma

X X

Subcutaneous Tissue, Fibrosarcoma,
Multiple

X

MUSCULOSKELETAL SYSTEM

Bone

+ +

Skeletal Muscle

+

Sarcoma, Metastatic, Salivary Glands

X

NERVOUS SYSTEM

Brain

+ +

Carcinoma, Metastatic, Harderian Gland

X

Carcinoma, Metastatic, Pituitary Gland

X

Peripheral Nerve

+

Spinal Cord

+

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 7 | 3 | 5 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 5 | 2 | 8 | 5 | 9 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 8 | 5 | 7 | 8 | 8 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 9 | 9 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | | |
| | 0 | 5 | 6 | 9 | 6 | 0 | 9 | 4 | 7 | 1 | 5 | 6 | 8 | 9 | 3 | 4 | 1 | 9 | 2 | 4 | 1 | 2 | 5 | 7 | 8 | | |

females
(cont...)

RESPIRATORY SYSTEM

| | |
|---|---|
| Larynx | + |
| Sarcoma, Metastatic, Salivary Glands | X |
| Lung | + |
| Alveolar/Bronchiolar Adenoma | X |
| Carcinoma, Metastatic, Harderian Gland | X |
| Nose | + |
| Pleura | + |
| Carcinoma, Metastatic, Harderian Gland | X |
| Trachea | + |
| Peritracheal Tissue, Sarcoma, Metastatic, Salivary Glands | X |

SPECIAL SENSES SYSTEM

| | |
|-----------------|---|
| Ear | |
| Eye | + |
| Harderian Gland | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 7 | 3 | 5 | 9 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 5 | 2 | 8 | 5 | 9 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 8 | 5 | 7 | 8 | 8 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 9 | 9 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | | |
| | 0 | 5 | 6 | 9 | 6 | 0 | 9 | 4 | 7 | 1 | 5 | 6 | 8 | 9 | 3 | 4 | 1 | 9 | 2 | 4 | 1 | 2 | 5 | 7 | 8 | | |

females
(cont...)

Adenoma

X X

Carcinoma

X

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | X | | X | X | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE
1000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 5 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 0 | 0 |
| | 0 | 8 | 2 | 7 | 0 | 4 | 7 | 9 | 2 | 3 | 4 | 6 | 7 | 8 | 1 | 3 | 5 | 3 | 6 | 8 | 1 | 2 | 3 | 5 | 0 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Periesophageal Tissue, Sarcoma,
Metastatic, Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE
1000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 5 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 0 | 0 |
| | 0 | 8 | 2 | 7 | 0 | 4 | 7 | 9 | 2 | 3 | 4 | 6 | 7 | 8 | 1 | 3 | 5 | 3 | 6 | 8 | 1 | 2 | 3 | 5 | 0 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Hepatocellular Carcinoma | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Uncertain Primary Site | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Sarcoma | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Squamous Cell Papilloma | X | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | DAY ON TEST | 7
2
9 | 7
3
0 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0
0
0
0
9 | 0
0
0
0
5 | 0
0
0
0
6 | 0
0
0
0
6 | 0
0
0
0
7 | 0
0
0
0
8 | 0
0
0
0
8 | 0
0
0
0
9 | 0
0
0
0
9 | 0
0
0
0
9 | 0
0
0
0
9 | 0
0
0
0
9 | 0
0
0
0
5 | 0
0
0
0
5 | 0
0
0
0
5 | 0
0
0
0
6 | 0
0
0
0
7 | 0
0
0
0
7 | 0
0
0
0
8 | 0
0
0
0
8 | 0
0
0
0
9 | 0
0
0
0
0 |
| 1000 PPM | | 0
0
0
0
0 | 8
2
7
0
4 | 7
9
2
3
4 | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | M | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | 44 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | X | | | | | | 2 |
| Pars Distalis, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 49 |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | 50 | |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | X | 5 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 9 | 5 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 8 | 9 |
| | 0 | 8 | 2 | 7 | 0 | 4 | 7 | 9 | 2 | 3 | 4 | 6 | 7 | 8 | 1 | 3 | 5 | 3 | 6 | 8 | 1 | 2 | 3 | 5 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

Granulosa Cell Tumor Benign X 1

Oviduct 1

Uterus + 50
Leiomyosarcoma X 1**HEMATOPOIETIC SYSTEM**

Bone Marrow + 50

Lymph Node + 5
Mediastinal, Fibrosarcoma, Metastatic,
Skin 1

Lymph Node, Mandibular + 50

Lymph Node, Mesenteric + 50

Spleen + 50
Hemangiosarcoma 1

Thymus + 49

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| B6C3F1 MICE FEMALE
1000 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | 9 | 5 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 0 | |
| | | 0 | 8 | 2 | 7 | 0 | 4 | 7 | 9 | 2 | 3 | 4 | 6 | 7 | 8 | 1 | 3 | 5 | 3 | 6 | 8 | 1 | 2 | 3 | 5 | 0 |

* TOTALS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Subcutaneous Tissue, Fibrosarcoma,
Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Sarcoma, Metastatic, Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 1000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 9 | 5 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 0 | |
| | 0 | 8 | 2 | 7 | 0 | 4 | 7 | 9 | 2 | 3 | 4 | 6 | 7 | 8 | 1 | 3 | 5 | 3 | 6 | 8 | 1 | 2 | 3 | 5 | 0 | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 |
| Sarcoma, Metastatic, Salivary Glands | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Carcinoma, Metastatic, Harderian Gland | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pleura | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 |
| Carcinoma, Metastatic, Harderian Gland | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Peritracheal Tissue, Sarcoma, Metastatic, Salivary Glands | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Ear | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 5 | 6 | 6 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 0 | * TOTALS |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 8 | 7 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 9 | 1 | 9 | 9 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE
3000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 3 | 2 | 1 | 3 | 0 | 1 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 7 | 2 | 9 | 9 | 5 | 3 | 4 | 6 | 7 | 2 | 4 | 8 | 1 | 4 | 6 | 9 | 0 | 3 | 5 | 2 | 8 | 1 | 3 | 8 | 9 | | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | X | | | | | | | | | X |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Mesentery | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lipoma | | | | | | | | | | | | | | | | | X | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 1 | | 1 | 8 | 7 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 5 | 9 | 1 | 9 | 9 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3000 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 3 | 3 | 2 | 1 | 3 | 0 | 1 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 7 | 2 | 9 | 9 | 5 | 3 | 4 | 6 | 7 | 2 | 4 | 8 | 1 | 4 | 6 | 9 | 0 | 3 | 5 | 2 | 8 | 1 | 3 | 8 | 9 | | | | | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Tooth | | | | | | | + | | | | | | | | | | | | | | | | | | + | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 8 | 7 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 9 | 1 | 9 | 9 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE
3000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 3 | 2 | 1 | 3 | 0 | 1 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 7 | 2 | 9 | 9 | 5 | 3 | 4 | 6 | 7 | 2 | 4 | 8 | 1 | 4 | 6 | 9 | 0 | 3 | 5 | 2 | 8 | 1 | 3 | 8 | 9 | | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parathyroid Gland | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | + | + | M | + | M | M | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Oviduct | | | | | | | | | | | | | | | | + | + | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 8 | 7 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 9 | 1 | 9 | 9 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 3 | 2 | 1 | 3 | 0 | 1 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 7 | 2 | 9 | 9 | 5 | 3 | 4 | 6 | 7 | 2 | 4 | 8 | 1 | 4 | 6 | 9 | 0 | 3 | 5 | 2 | 8 | 1 | 3 | 8 | 9 | | |

females
(cont...)

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Mast Cell Tumor Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | + | + | + | + | + | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | X |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 8 | 7 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 9 | 1 | 9 | 9 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 3 | 2 | 1 | 3 | 0 | 1 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 7 | 2 | 9 | 9 | 5 | 3 | 4 | 6 | 7 | 2 | 4 | 8 | 1 | 4 | 6 | 9 | 0 | 3 | 5 | 2 | 8 | 1 | 3 | 8 | 9 | | |

females
(cont...)**MUSCULOSKELETAL SYSTEM**

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | X |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 8 | 7 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 9 | 1 | 9 | 9 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 3 | 2 | 1 | 3 | 0 | 1 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 |
| | 7 | 2 | 9 | 9 | 5 | 3 | 4 | 6 | 7 | 2 | 4 | 8 | 1 | 4 | 6 | 9 | 0 | 3 | 5 | 2 | 8 | 1 | 3 | 8 | 9 |

females
(cont...)

Harderian Gland

+ A +

X

Adenoma

Carcinoma

URINARY SYSTEM

Kidney

+ +

Urinary Bladder

+ +

SYSTEMIC LESIONS

Multiple Organ

+ +

X

Histiocytic Sarcoma

X X

Lymphoma Malignant

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE
3000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 4 | 4 | 4 | 5 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 0 | 0 | 1 | 1 | 2 | 2 | 4 | 4 | 4 | 4 |
| | 3 | 5 | 7 | 0 | 7 | 8 | 1 | 7 | 8 | 3 | 4 | 0 | 4 | 6 | 0 | 2 | 5 | 2 | 6 | 0 | 5 | 1 | 6 | 9 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | X | | | | | | | | | 3 |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | X | | | | | | | | | 2 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Lipoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| B6C3F1 MICE FEMALE
3000 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|--------------------------------|-----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 4 | 4 | 4 | 5 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 0 | 0 | 1 | 1 | 2 | 2 | 4 | 4 | |
| | | 3 | 5 | 7 | 0 | 7 | 8 | 1 | 7 | 8 | 3 | 4 | 0 | 4 | 6 | 0 | 2 | 5 | 2 | 6 | 0 | 5 | 1 | 6 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|
| | DAY ON TEST | 7
2
9 | 7
2
9 | 7
3
0 | |
| B6C3F1 MICE FEMALE
3000 PPM | ANIMAL ID | 0
0
1
4
3 | 0
0
1
4
5 | 0
0
1
4
0 | 0
0
1
4
1 | 0
0
1
1
7 | 0
0
1
1
8 | 0
0
1
2
1 | 0
0
2
2
8 | 0
0
3
3
3 | 0
0
3
3
4 | 0
0
3
3
0 | 0
0
4
4
6 | 0
0
0
0
0 | 0
0
1
1
2 | 0
0
1
1
5 | 0
0
1
1
2 | 0
0
1
1
6 | 0
0
1
1
9 | 0
0
1
1
6 | 0
0
1
1
9 | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | M | + | 40 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Oviduct | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 4 | 4 | 4 | 5 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 0 | 0 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| | 3 | 5 | 7 | 0 | 7 | 8 | 1 | 7 | 8 | 3 | 4 | 0 | 4 | 6 | 0 | 2 | 5 | 2 | 6 | 0 | 5 | 1 | 6 | 9 | * TOTALS |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Mast Cell Tumor Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 7 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 4 | 4 | 4 | 5 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 0 | 0 | 1 | 1 | 2 | 2 | 4 | 4 | 4 | 4 |
| | 3 | 5 | 7 | 0 | 7 | 8 | 1 | 7 | 8 | 3 | 4 | 0 | 4 | 6 | 0 | 2 | 5 | 2 | 6 | 0 | 5 | 1 | 6 | 9 | * TOTALS |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 3000 PPM | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 4 | 4 | 4 | 5 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 0 | 0 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| | 3 | 5 | 7 | 0 | 7 | 8 | 1 | 7 | 8 | 3 | 4 | 0 | 4 | 6 | 0 | 2 | 5 | 2 | 6 | 0 | 5 | 1 | 6 | 9 |

* TOTALS

Harderian Gland

+ 48

Adenoma

2

Carcinoma

X 1

URINARY SYSTEM

Kidney

+ 49

Urinary Bladder

+ 49

SYSTEMIC LESIONS

Multiple Organ

+ 49

Histiocytic Sarcoma

1

Lymphoma Malignant

7

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 1 | 4 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 9 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 3 | 5 | 9 | 3 | 4 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 10000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 7 | 6 | 7 | 5 | 9 | 9 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 5 | 6 | 7 | 7 | 8 | | |
| | 4 | 2 | 9 | 2 | 2 | 0 | 7 | 0 | 7 | 1 | 2 | 3 | 5 | 8 | 5 | 6 | 7 | 4 | 6 | 9 | 3 | 3 | 1 | 6 | 1 | | |

females
(cont...)

Islets, Pancreatic

+ +

Parathyroid Gland

+ + + M + + + + + + M + + + + + + + + + + + M M + + +

Pituitary Gland

+ +

Pars Distalis, Adenoma

.....

Thyroid Gland

+ +

Sarcoma, Metastatic, Salivary Glands

X

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland

+ +

Ovary

+ +

Cystadenoma

X X

Luteoma

Teratoma Benign

X

Uterus

+ +

Polyp Stromal

X

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 1 | 4 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 9 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 3 | 5 | 9 | 3 | 4 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE
10000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 7 | 6 | 7 | 5 | 9 | 9 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 5 | 6 | 7 | 7 | 8 | | |
| | 4 | 2 | 9 | 2 | 2 | 0 | 7 | 0 | 7 | 1 | 2 | 3 | 5 | 8 | 5 | 6 | 7 | 4 | 6 | 9 | 3 | 3 | 1 | 6 | 1 | | |

females
(cont...)

Vagina

+

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Hemangiosarcoma

X

Lymph Node

+ + + +

Deep Cervical, Sarcoma, Metastatic,
Salivary Glands

X

Lymph Node, Mandibular

+ + + + + M +

Lymph Node, Mesenteric

M +

Spleen

+ +

Hemangiosarcoma

X

Hemangiosarcoma, Metastatic, Bone
Marrow

X

Thymus

+ +

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 1 | 4 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 9 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 3 | 5 | 9 | 3 | 4 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 10000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 7 | 6 | 7 | 5 | 9 | 9 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 6 | 7 | 7 | 8 | | | |
| | 4 | 2 | 9 | 2 | 2 | 0 | 7 | 0 | 7 | 1 | 2 | 3 | 5 | 8 | 5 | 6 | 7 | 4 | 6 | 9 | 3 | 3 | 1 | 6 | 1 | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Subcutaneous Tissue,
Hemangiosarcoma, Metastatic, Bone
Marrow | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Salivary Glands | | | | | | | | | X | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 4 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 6 | 9 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 3 | 5 | 9 | 3 | 4 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 7 | 6 | 7 | 5 | 9 | 9 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 6 | 7 | 7 | 8 | | |
| | 4 | 2 | 9 | 2 | 2 | 0 | 7 | 0 | 7 | 1 | 2 | 3 | 5 | 8 | 5 | 6 | 7 | 4 | 6 | 9 | 9 | 3 | 3 | 1 | 6 | 1 | | | |

females
(cont...)

| | |
|---|-----|
| Larynx | + |
| Sarcoma, Metastatic, Salivary Glands | X |
| Lung | + |
| Alveolar/Bronchiolar Adenoma | X |
| Alveolar/Bronchiolar Carcinoma | X X |
| Nose | + |
| Trachea | + |
| Peritracheal Tissue, Sarcoma, Metastatic, Salivary Glands | X |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 4 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 6 | 9 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 3 | 3 | 3 | 5 | 9 | 3 | 4 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 10000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 7 | 6 | 7 | 5 | 9 | 9 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 6 | 7 | 7 | 8 | | | |
| | 4 | 2 | 9 | 2 | 2 | 0 | 7 | 0 | 7 | 1 | 2 | 3 | 5 | 8 | 5 | 6 | 7 | 4 | 6 | 9 | 9 | 3 | 3 | 1 | 6 | 1 | | | | |
| ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| B6C3F1 MICE FEMALE
10000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 8 | 8 | 0 | 5 | 5 | 6 | 6 | 8 | 8 | 9 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | |
| | 2 | 3 | 0 | 4 | 6 | 0 | 6 | 4 | 8 | 8 | 1 | 5 | 8 | 9 | 4 | 5 | 7 | 8 | 9 | 0 | 9 | 1 | 3 | 5 | 7 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Periesophageal Tissue, Sarcoma,
Metastatic, Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | X | | | X | | | X | | | | | | | | | | | | | | | | | | | | 4 |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma | I | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| B6C3F1 MICE FEMALE
10000 PPM | ANIMAL ID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 8 | 8 | 0 | 5 | 5 | 6 | 6 | 8 | 8 | 9 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 8 | 8 | 9 | 9 | 9 | 9 | |
| | | 2 | 3 | 0 | 4 | 6 | 0 | 6 | 4 | 8 | 8 | 1 | 5 | 8 | 9 | 4 | 5 | 7 | 8 | 9 | 0 | 9 | 1 | 3 | 5 | 7 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | |
|-----------------------------------|---|----|
| Mesentery | + | 5 |
| Pancreas | + | 50 |
| Salivary Glands | + | 49 |
| Sarcoma | | 1 |
| Stomach, Forestomach | + | 49 |
| Squamous Cell Papilloma | X | 9 |
| Squamous Cell Papilloma, Multiple | | 1 |
| Stomach, Glandular | + | 50 |

CARDIOVASCULAR SYSTEM

| | | |
|--------------|---|----|
| Blood Vessel | + | 50 |
| Heart | + | 50 |

ENDOCRINE SYSTEM

| | | |
|-----------------|---|----|
| Adrenal Cortex | + | 50 |
| Adrenal Medulla | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------|
| | DAY ON TEST | 7
2
9 | 7
2
9 | 7
3
0 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0
0
1
8
2 | 0
0
2
8
3 | 0
0
1
5
0 | 0
0
1
5
6 | 0
0
1
6
0 | 0
0
1
8
4 | 0
0
1
8
8 | 0
0
1
9
8 | 0
0
1
5
1 | 0
0
1
5
5 | 0
0
1
5
5 | 0
0
1
5
5 | 0
0
1
6
6 | 0
0
1
6
6 | 0
0
1
6
6 | 0
0
1
8
8 | 0
0
1
8
8 | 0
0
1
9
9 | 0
0
1
9
9 | 0
0
1
9
9 | 0
0
1
9
9 | 0
0
1
9
9 | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 45 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Sarcoma, Metastatic, Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Luteoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Teratoma Benign | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------|------------------|----------|
| | DAY ON TEST | 7
2
9 | 7
2
9 | 7
3
0 | 7
3
0 | 7
3
0 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0
0
1
8
2 | 0
0
1
0
3 | 0
0
1
5
0 | 0
0
1
5
6 | 0
0
1
6
6 | 0
0
1
8
4 | 0
0
1
8
8 | 0
0
1
9
1 | 0
0
1
5
5 | 0
0
1
5
8 | 0
0
1
5
9 | 0
0
1
5
9 | 0
0
1
5
4 | 0
0
1
5
8 | 0
0
1
5
9 | 0
0
1
5
4 | 0
0
1
5
7 | 0
0
1
5
8 | 0
0
1
5
9 | 0
0
1
5
0 | 0
0
1
3 | 0
0
1
5 | * TOTALS |

Vagina

1

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | 7 |
| Deep Cervical, Sarcoma, Metastatic,
Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma, Metastatic, Bone
Marrow | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| B6C3F1 MICE FEMALE
10000 PPM | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 8 | 8 | 0 | 5 | 5 | 6 | 6 | 8 | 8 | 9 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 8 | 8 | 9 | 9 | 9 | 9 | |
| | 2 | 3 | 0 | 4 | 6 | 0 | 6 | 4 | 8 | 8 | 1 | 5 | 8 | 9 | 4 | 5 | 7 | 8 | 9 | 0 | 9 | 1 | 3 | 5 | 7 | * TOTALS | |
| Mammary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skin | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Subcutaneous Tissue,
Hemangiosarcoma, Metastatic, Bone
Marrow | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqsted: 04/26/2006

Time Report Reqsted: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 8 | 8 | 0 | 5 | 5 | 6 | 6 | 8 | 8 | 9 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 2 | 3 | 0 | 4 | 6 | 0 | 6 | 4 | 8 | 8 | 1 | 5 | 8 | 9 | 4 | 5 | 7 | 8 | 9 | 0 | 9 | 1 | 3 | 5 | 7 | * TOTALS | | |

| | |
|--|-----------|
| Larynx | 1 |
| Sarcoma, Metastatic, Salivary Glands | 1 |
|
Lung |
..... |
| Alveolar/Bronchiolar Adenoma | X |
| Alveolar/Bronchiolar Carcinoma | X |
|
Nose |
..... |
|
Trachea |
..... |
| Peritracheal Tissue, Sarcoma,
Metastatic, Salivary Glands | 1 |

SPECIAL SENSES SYSTEM

| | |
|---------------------|-----------|
|
Eye |
..... |
|
Harderian Gland |
..... |
| Adenoma | X |
| Carcinoma | X |

URINARY SYSTEM

| | |
|------------|-----------|
|
Kidney |
..... |
|------------|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 05174 - 06

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

CRESOLS

CAS Number: 1319-77-3

Pathologist: BOYCE, J. - TOFT, J.

Date Report Reqstd: 04/26/2006

Time Report Reqstd: 08:23:49

First Dose M/F: NA / 08/20/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 8 | 8 | 0 | 5 | 5 | 6 | 6 | 8 | 8 | 9 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 2 | 3 | 0 | 4 | 6 | 0 | 6 | 4 | 8 | 8 | 1 | 5 | 8 | 9 | 4 | 5 | 7 | 8 | 9 | 0 | 9 | 1 | 3 | 5 | 7 | * TOTALS | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | X | | X | | | | | | | | | | | | | | | | | | | | | | | 6 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically